Serial No. 10/085,989 Amdt. dated February 10, 2005

Reply to Office Action of August 26, 2004

Attorney Docket No. 33692.01.0053

## Amendments to the Claims:

- 1. (Canceled)
- 2. (Currently Amended) The method of claim 1 wherein A method for multimodal communication comprising:

maintaining, during non-session conditions and on a per user basis, concurrent multimodal session status information of user agent programs configured for different concurrent modality communication during a session, wherein the maintaining step includes storing, during a session, at least one of:

location data indicating where last fetched information was obtained for each of a plurality of user agent programs used during a concurrent multimodal communication session;

information on which field has been filled by user input during the concurrent multimodal communication session and the field content; and

re-establishing a concurrent multimodal session in response to accessing the concurrent multimodal session status information.

BEST AVAILABLE COPY

Attorney Docket No. 33692.01.0053

 (Currently Amended) The method of claim 2 1 including the steps of: detecting a joining of a session by a user;
 accessing concurrent multimodal session status information;

if the accessed concurrent multimodal session status information indicates a prior concurrent multimodal session for the user, then re-establishing the concurrent multimodal session identified by the concurrent multimodal session status information.

- 4. (Currently Amended) The method of claim 2 + including the step of maintaining which devices are employed during a concurrent multimodal session to facilitate switching of devices during a concurrent multimodal communication.
- 5. (Currently Amended) The method of claim 1 including A method for multimodal communication comprising:

maintaining, during non-session conditions and on a per user basis, concurrent
multimodal session status information of user agent programs configured for different concurrent
modality communication during a session;

temporarily storing, during a session, modality specific instructions for at least one of a plurality of user agent programs that operate in different modalities with respect to each other to compensate for communication delay associated with modality specific instructions for a second of the plurality of user agent programs; and

re-establishing a concurrent multimodal session in response to accessing the concurrent multimodal session status information.

Page 3 of 8

Attorney Docket No. 33692.01.0053

6. (Currently Amended) The method of claim 2 1 including the step of receiving multimode mute data and storing a record of which modalities for a multimodal communication are to be muted for a given session.

Attorney Docket No. 33692.01,0053

- 7. (Canceled)
- 8. (Currently Amended) The multimedal apparatus of claim 7 A multimedal apparatus comprising:

a concurrent multimodal session persistence controller operative to maintain, during nonsession conditions and on a per user basis, concurrent multimodal session status information of
user agent programs configured for different concurrent modality communication during a
session and to re-establish a concurrent multimodal session in response to accessing the
concurrent multimodal session status information; and

memory, operatively coupled to the concurrent multimodal session persistence controller, containing the concurrent multimodal session status information, wherein the memory contains at least one of:

proxy identification data indicating a previous proxy used in a prior concurrent multimodal communication session;

information on which field has been filled by user input during the concurrent multimodal communication session and the field content; and

current dialogue states for the concurrent multimodal communication session.

Attorney Docket No. 33692.01.0053

- 9. (Currently Amended) The multimodal apparatus of claim § 7 wherein the concurrent multimodal session persistence controller accesses the concurrent multimodal session status information contained in the memory and if the accessed concurrent multimodal session status information indicates a prior concurrent multimodal session for the user, facilitates reestablishment of the concurrent multimodal session identified by the concurrent multimodal session status information.
- 10. (Currently Amended) The method of claim 2 + wherein the user agent programs are configured for different concurrently input modality communications during the session.

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.